


R.W.A.C.B.
Copy


MDC v. ALLSTATE
Box/File No. 2-127 B/115

9

PRIVILEGED AND CONFIDENTIAL
ATTORNEY WORK PRODUCT

DRAFT

PHASE I UNDERGROUND TANK
LEAK INVESTIGATION REPORT
FOR DOUGLAS AIRCRAFT COMPANY'S
C6 FACILITY
LOS ANGELES, CALIFORNIA

Prepared for:

Douglas Aircraft Company
3855 Lakewood Boulevard
Long Beach, California 90844

Project No. 41863B
June 1987

TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION	1
2.0 SITE HYDROGEOLOGY	1
2.1 "Semi-perched" Aquifer	2
2.2 Bellflower Aquitard	2
2.3 Gage Aquifer	2
2.4 Site Specific Interpretation	2
3.0 FIELD INVESTIGATION TASK WORK	3
4.0 RESULTS AND CONCLUSIONS	4
5.0 RECOMMENDATIONS	5

TABLES

Table 4.1	Soil Analysis for Borings B2 and B3
Table 4.2	Organic Analysis Data Results of MW-1 Water Samples

FIGURES

Figure 1	Facility Location Map
Figure 2	Location Map for MW-1, B2 and B3

APPENDICES

Appendix A	Boring Logs
Appendix B	Chemical Analysis Results
Appendix C	Chain-of-Custody Forms

PHASE I UNDERGROUND TANK LEAK INVESTIGATION REPORT
FOR DOUGLAS AIRCRAFT COMPANY'S C6 FACILITY
LOS ANGELES, CALIFORNIA


1.0 INTRODUCTION

As part of the on-going underground tank leak investigation for Douglas Aircraft Company (DAC), Woodward-Clyde Consultants installed and sampled soil borings in the vicinity of Tanks 19T and 20T at Douglas' Los Angeles, California C6 Facility (Figure 1). The purpose of the boring program was to evaluate the leakage that resulted from the underground piping associated with tanks 19T and 20T.


This report contains the investigation procedures, the results of the sample analysis, a discussion of the results, and recommendations for further steps.

2.0 SITE HYDROGEOLOGY

The Douglas Aircraft C6 Facility, located on the Torrance Plain of the Los Angeles Coastal Basin, is underlain by the Lakewood Formation. The primary aquifers beneath the site are the "Semi-Perched" and the Gage. The following is a description of the aquifers and the aquicludes beneath the site.



C6 FACILITY



▲ Approximate
Location of Tanks
19T and 20T

Project: DOUGLAS AIRCRAFT CO.
Project No. 41863A

FACILITY LOCATION MAP

Fig.
1

WOODWARD-CLYDE CONSULTANTS

2.1 "Semi-perched" Aquifer

The "Semi-perched" Zone is a coarse sand and gravel aquifer that varies in thickness from 0 to 60 feet. It occurs near the surface throughout much of the coastal plain, but is very irregular in occurrence. It is mainly comprised of stream sediments, although it also consists of marine deposits beneath the Torrance Plain. (Marine deposits have been identified in the borings at the C6 Facility.) Wells in the "Semi-perched" zone yield small quantities of poor quality water, which is of little beneficial use.

2.2 Bellflower Aquitard

The "Semi-perched" Zone is underlain by the Bellflower Aquitard, which separates this zone from the underlying Gage Aquifer. The Bellflower Aquitard consists of low permeability, fine grained sediments, and acts as a confining unit on the underlying Gage Aquifer. The Bellflower is a heterogeneous mixture of continental and marine sediments, and also contains sand and gravel lenses. It varies in thickness from 0 to 200 feet and may be approximately 60 to 80 feet thick in the site area.

2.3 Gage Aquifer

The lowest member of Lakewood Formation, the Gage Aquifer, is also known as the "200 foot sand". It extends over most of the Coastal Plain. In the site vicinity it consists of coarse sand and gravel, and from an evaluation of the regional data appears to be approximately 40 to 80 feet thick.

2.4 Site Specific Interpretation

The C6 site is approximately 50 feet above Mean Sea Level. The uppermost 200 feet of the subsurface consists of the Lakewood Formation and contains the "Semi-perched" and Gage Aquifers, separated by the Bellflower Aquitard. Regional


information suggests the base of the Gage may be approximately 150 feet below Mean Sea Level or about 200 feet below the ground surface. Therefore, based on an estimated aquifer thickness of 40 to 80 feet, the top of the Gage Aquifer is about 120 to 160 feet below the ground surface. The "Semi-perched" Aquifer occurs about 70 to 80 feet below the ground surface, based on the information obtained from the well installed by Woodward-Clyde Consultants at the C6 Facility. Regional data suggests that the "Semi-perched" Zone may be approximately 20 feet thick beneath the site.

3.0 FIELD INVESTIGATION TASK WORK

Field work occurred on 10 April 1987. Three borings (B1, B2, and B3) and one observation well (MW1) were drilled in the vicinity of Tanks 19T and 20T. The approximate locations of the borings are shown in Figure 2. Boring B1 was installed in April 1986 during an earlier phase of this investigation.

Drilling was accomplished using an 8-inch hollow stem auger equipped with a modified California sampler. Observations of soil type were made using the Unified Soil Classification System. Sample collection location, type of drilling equipment, organic vapor readings in the soil, and pertinent comments of the field geologist were recorded on Boring Logs. The Boring Logs are attached as Appendix A.

Cuttings from each borehole were collected in 55-gallon drums. These drums were labelled as to contents, boring identification, and depth and date of collection of cuttings.



Soil samples were collected from each boring. These samples were collected at 5-foot depths, beginning at a depth of five feet. The soil samples were sealed in brass tubes and labelled with project number, boring number, depth, sample number, date, and name of sampler.

Water samples were collected for analysis of volatile organics. Evidence of elevated fuel oil concentrations was not found in soil samples collected from this boring and screened by using an OVA.

4.0 RESULTS AND CONCLUSIONS

Soil and water sample analyses were performed by West Coast Analytical Service, Inc. located in Santa Fe Springs, California. The analytical results are presented in Tables 4.1 and 4.2. Appendices B and C contain copies of the original laboratory results and chain-of-custody forms.

The soil chemical analysis indicates the presence of petroleum hydrocarbon in samples from Borings B2 and B3. Hydrocarbon concentrations of 19,000 ppm were detected as deep as 50 feet below ground surface.

The water samples collected from observation Well MW-1 contained 1,1-dichloroethene, 1,1,1-trichloroethane and trichloroethene. Benzene was also detected as shown on Table 4.2.

TABLE 4.1

SOIL ANALYSIS FOR BORINGS B2 AND B3

Sample No.	Depth (ft)	Total Petroleum Hydrocarbon (ppm)
B2-2-3	10	5,000
B2-7-3	30	6,000
B2-7-4	35	14,000
B2-8-4	42	2,000
B2-9-4	47	2,000
B2-10-4	50	19,000
B3-1-4	5	2,900
B3-2-4	10	27
B3-3-4	15	1,200
B3-4-4	20	4,400
B3-5-3	25	13,000
B3-6-3	30	4,100

Borings are near tanks 19T and 20T at C6 Facility

TABLE 4.2

ORGANICS ANALYSIS DATA RESULTS OF
MW-1 WATER SAMPLES
(EPA Method 8240)

	1,1- Dichloro- ethene (ppb)	1,1,1-Trichloro- ethane (ppb)	Trichloro- ethene (ppb)	Benzene (ppb)
4/15/87				
MW-1,A	3700	260	5500	110
MW-1,B	2500	120	3600	ND
4/1/87				
MW-1(41)A	2800	300	4000	85

The presence of solvents in the ground water does not appear to be the result of the leak associated with Tanks 19T and 20T. The leak from Tanks 19T and 20T was a diesel leak, and would not be expected to produce halogenated solvents at the concentrations present in the ground water.

The fuel oil concentrations in the soil near Tanks 19T and 20T have apparently resulted from the leak of diesel in this area. The fuel oil is present in the soil to a depth between 50 and 70 feet near the source, with lateral spreading estimated at up to 30 feet.

5.0 RECOMMENDATIONS

The results obtained from the field investigation indicated that fuel oil is present in the soil in the vicinity of Tanks 19T and 20T. However, the compounds present in the ground water are apparently not due to the release of fuel oil. Therefore, it is recommended that further investigation be implemented to delineate the extent of the solvents in the ground water and identify the source(s) of these solvents.

The planned investigation would at a minimum entail the following:

- Installation of an additional boring near the source of the fuel oil release. This boring would be used to evaluate whether the fuel oil had reached ground water, by sampling between 50 feet and 65 feet.
- Installation of three additional observation wells around Tanks 19T and 20T, to evaluate whether these tanks are (were) the source of the solvents in the ground water.

APPENDIX A

BORING LOGS

BORING LOCATION MW-1 (41)		ELEVATION AND DATUM N/A	
DRILLING AGENCY Datum Exploration, Inc.		DATE STARTED 3-25-87	
DRILLER James		DATE FINISHED 3-26-87	
DRILLING EQUIPMENT Mobile Drill B-61, 10-inch O.D., H.S.A.		COMPLETION DEPTH (FT) 91	
DIAMETER AND TYPE OF WELL CASING 2-inch Plastic, Flush Threaded		NO. OF SAMPLES 5	
TYPE OF PERFORATION .02 Slot		WATER FIRST DEPTH (FT) 74.5	
TYPE OF BACKFILL No. 12 Silica Sand		LOGGED BY S. Donaldson	
TYPE OF SEAL Bentonite Pellet Plug and Bentonite Grout		CHECKED BY B. Jacobs	

DEPTH (FEET)	DESCRIPTION	Lithology	Observation Well	SAMPLES					REMARKS
				No.	Type	Blow Count	Drilling Rate/Time		
0	Asphalt						0905		Background OVA reading = 1-2 ppm
5	Damp, reddish-brown, SILTY SAND (SP) with clay and gravel. Becomes black								
10	Becomes reddish brown, no gravel.								
15	Becomes medium brown.								
15	CLAYEY SAND (SC).						0915		
25	Stiff, damp, medium brown, CLAYEY SILT (ML) with some fine sand.								
30	Becomes hard with more clay.						0920		
35	Lense of volcanic (?) angular gravel.								

Project: DOUGLAS AIRCRAFT COMPANY TORRANCE
Project No.: 41863B

LOG OF BORING MW-1(41)

Fig. A-1

WOODWARD-CLYDE CONSULTANTS

LA/OR-0783-236R

BOE-C6-0221701

DEPTH (FEET)	DESCRIPTION	GRAPHIC LOG			SAMPLES				REMARKS
		Lithology	Observation Well	OVA (ppm)	No.	Type	Blow Count	Drilling Rate/Time	
	Lense of volcanic (?) angular gravel (continued).								
40								0930	
	↓ Becomes moist and hard.								
45					1	×	59		
	Very hard, moist, dark brown, SILTY CLAY (CL).								
50									
	Lenses of very hard, carbonate cemented concretions.								
55					1 2	×	26		
								1010	
60	↓ Increasing silt.								
	Medium dense, dry, tan, fine SAND (SP).								
65					7.5 3	×	57		
	Dense, dry, whitish-tan, fine SAND (SP).								
70	↓ Becomes damp and very dense.				2.5 4	×	50/ 5"		
	Very stiff, damp, dark brown SILT (ML).								
75	↓ Becomes wet.				7.8 5	×	50/ 5"		
	Very dense, wet, brown, fine SAND (SP).								Water encountered at 74.5 feet.

Project: DOUGLAS AIRCRAFT
COMPANY TORRANCE
Project No.: 41863B

CONT. LOG OF BORING MW-1(41)

Fig.
A-2

DEPTH (FEET)	DESCRIPTION	GRAPHIC LOG			SAMPLES				REMARKS
		Lithology	Observation Well	OVA (ppm)	No.	Type	Blow Count	Drilling Rate/Time	
	Very stiff, wet, dark brown SILT (ML) (continued).								
	Very dense, wet, brown, fine SAND (SP).				12	⊗	6		
80									
85									
90	Stiff, moist, dark brown, SILTY CLAY (CL).								
	Bottom of Boring at 91 feet.								
95									
100									
105									
110									
115									

Project: DOUGLAS AIRCRAFT COMPANY TORRANCE

Project No.: 41863B

CONT. LOG OF BORING MW-1(41)

Fig. A-3

Project: DOUGLAS AIRCRAFT
COMPANY TORRANCE
Project No.: 41863B

CONT. LOG OF BORING MW-1(41)

Fig.
A-3

BORING LOCATION Boiler Room At T-19, 20 (C-6 Facility)				ELEVATION AND DATUM Approximately 52 Feet MSL			
DWILLING AGENCY Datum Exploration, Inc.		DRILLER Kit Stephens		DATE STARTED 12/29/86		DATE FINISHED 1/5/87	
DWILLING EQUIPMENT Simco 2400SK, Datum D27-L (Dietrich Gasoline Engine)				COMPLETION DEPTH (FT) 51'		ROCK DEPTH (FT) -	
DIAMETER AND TYPE OF WELL CASING 6" Hollow Stem Auger; No Casing in Installed				NO. OF SAMPLES -		UNDIST. 20	
TYPE OF PERFORATION N/A				WATER DEPTH (FT) FIRST -		COMPL. - 24 HRS	
TYPE OF PERFORATION N/A				LOGGED BY: Jacobs/ Donaldson/ Gibson		CHECKED BY: Sd	
TYPE OF SEAL Concrete, #60 Silca Sand (85%) and Bentonite (15%)							

DEPTH (FEET)	DESCRIPTION	GRAPHIC LOG			SAMPLES			REMARKS
		Live-log	Observation	Notes	No.	Type	Blow Count	
	Concrete and pea gravel.							Hydrocarbon odor
5	Stff, damp, olive to brown SILTY CLAY (CL-CH).			250	1	NR		
				300	2	NR		Hydrocarbon odor and staining throughout boring.
10				140	3	NR		
15	↓ Becomes olive to dark olive green.			440	4	NR		
20				>1000	5	NR		
25				560	6	NR		
30	Gravel lense (to 2" Ø).			460	7	NR		Drilling difficult- Stop drilling. Commence drilling at 31' on 1/5/87 with datum D27-L rig.
35	↓ Becomes hard and grey, sandy, and thinly laminated.							
	↓ Becomes silty.			>1000	7	75		

Project: DOUGLAS TORRANCE
Project No.: 41863B

LOG OF BORING B-2

Fig. A-4

DEPTH (FEET)	DESCRIPTION	GRAPHIC LOG		SAMPLES				REMARKS
		Lithology	Observation Well	OVA (ppm)	No.	Type	Blow Count	
40				560	8	X	66	
45				400	9	X	53	
50				>1000	10	X	90	
	Bottom of Boring at 51 Feet.							
55								
60								
65								
70								
75								
80								
Project: DOUGLAS AIRCRAFT Project No.: 41863B		CONT. LOG OF BORING B-2						Fig. A-5

BORING LOCATION Boiler Room at T-19, 20 (C-6 Facility)		ELEVATION AND DATUM Approximately 52 Feet MSL	
DRILLING AGENCY Datum Exploration, Inc	DRILLER Kit Stephens	DATE STARTED 1/6/87	DATE FINISHED 1/6/87
DRILLING EQUIPMENT Datum D27-L (Dietrich Gasoline Engine)		COMPLETION DEPTH (FT) 31'	ROCK DEPTH (FT) -
DIAMETER AND TYPE OF WELL CASING 6" Hollow Stem Auger; No Casing Installed		NO. OF SAMPLES 6	UNDIST. 12 CORE -
TYPE OF PERFORATION N/A		WATER FIRST None	COMPL. - 24 HRS. -
TYPE OF PERFORATION N/A		DEPTH (FT)	CHECKED BY:
BACKFILL Concrete, #60 Silca Sand (85%) and Bentonite (15%)		LOGGED BY: S. Donaldson	Sd

DEPTH (FEET)	DESCRIPTION	GRAPHIC LOG			SAMPLES				REMARKS
		Lithology	Observation Well	QVA (gpm)	No.	Type	Blow Count	Drilling Rate/Time	
5	Concrete								
	Dense, damp, light grey, fine SAND (SP) with FeO ₂ staining and hydrocarbon odor.								
	Stiff, damp, dark brown SILTY CLAY (CL-CH).								
10	Gravel lense (< 2" Ø). Becomes hard.				310	1	48		
					105	2	30 50/ 5"		
15	Medium dense, damp, grey CLAYEY SAND (SC) strong hydrocarbon odor.				62	3	27		Easier drilling
20	Becomes dense and greyish brown.				350	4	47		
25	Becomes very dense, grey, more SANDY (SC-SP).				260	5	65		
					340	6	66		
30	Bottom of Boring at 31 Feet.								
35									

Project: DOUGLAS AIRCRAFT
Project No.: 41863B

LOG OF BORING B-3

Fig.
A-6

APPENDIX B

CHEMICAL ANALYSIS RESULTS

April 16, 1987

WOODWARD-CLYDE
203 N. Golden Circle Drive
Santa Ana, CA 92705

Attn: Allistair Callendar

JOB NO. 5677

WCAS

**WEST COAST
ANALYTICAL
SERVICE, INC.**


ANALYTICAL CHEMISTS


LABORATORY REPORT

Samples: Seven (7) water samples
Date Received: 4-13-87
Purchase Order No: 41863B

Three of the samples were analyzed for volatile organic compounds by GCMS according to EPA method 624. The results are reported in the following Organics Analysis Data Results Sheets.

Page 1 of 1


Michael Shelton
Senior Chemist


D.J. Northington, Ph.D.
Technical Director

April 17, 1987

WOODWARD-CLYDE
203 N. Golden Circle Drive
Santa Ana, CA 92705

Attn: Allistair Callendar

JOB NO. 5664

WCAS

**WEST COAST
ANALYTICAL
SERVICE, INC.**

ANALYTICAL CHEMISTS

LABORATORY REPORT

Samples: Forty (40) soil samples
Date Received: 4-10-87
Purchase Order No: Project 41863B

Fifteen (15) soil samples were analyzed for hydrocarbon content according to a modified EPA method 8015. The results are reported in the following table.

Page 1 of 2

B. Michael Horvath
for

Jim Bonde
Senior Chemist

D.J. Northington

D.J. Northington, Ph.D.
Technical Director

WEST COAST ANALYTICAL SERVICE, INC.

CLIENT: WOODWARD CLYDE
 SAMPLE: MW-1, A
 ANALYSIS TYPE: EPA METHOD 8240 (624)

ORGANICS ANALYSIS DATA RESULTS

DATE RECEIVED: 04/13/87 GCMS FILENAME: 5677V2
 LEVEL: LOW MATRIX: WATER
 DATE PREPARED: 04/15/87 DATE ANALYZED: 04/15/87
 STANDARD ID: VDA457 INSTRUMENT ID: 5100
 SAMPLE AMOUNT: 100UL

CAS #	COMPOUND	CONC: UG/L (PPB)	DETECTION LIMIT
74-87-3	CHLOROMETHANE	ND	300.
74-83-9	BROMOMETHANE	ND	300.
75-01-4	VINYL CHLORIDE	ND	300.
75-00-3	CHLOROETHANE	ND	300.
75-09-2	METHYLENE CHLORIDE	ND	500.
67-64-1	ACETONE	ND	500.
107-02-8	ACROLEIN	ND	500.
107-13-1	ACRYLONITRILE	ND	500.
75-15-0	CARBON DISULFIDE	ND	50.
75-35-4	1,1-DICHLOROETHENE	3700.	50.
75-34-3	1,1-DICHLOROETHANE	ND	50.
156-60-5	TRANS-1,2-DICHLOROETHENE	ND	50.
109-99-9	TETRAHYDROFURAN	ND	50.
75-69-4	TRICHLOROFLUOROMETHANE	ND	50.
76-13-1	FREON-TF	ND	50.
106-93-4	ETHYLENE DIBROMIDE	ND	50.
123-91-1	1,4-DIOXANE	ND	50.
96-12-8	1,2-DIBROMO-3-CHLOROPROPANE	ND	50.
67-66-3	CHLOROFORM	ND	50.
107-06-2	1,2-DICHLOROETHANE	ND	50.
78-93-3	2-BUTANONE	ND	500.
71-55-6	1,1,1-TRICHLOROETHANE	260.	50.
16-23-5	CARBON TETRACHLORIDE	ND	50.
108-05-4	VINYL ACETATE	ND	300.
75-27-4	BROMODICHLOROMETHANE	ND	50.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	50.
78-87-5	1,2-DICHLOROPROPANE	ND	50.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	50.
79-01-6	TRICHLOROETHENE	5500.	50.
124-48-1	CHLORODIBROMOMETHANE	ND	50.
79-00-5	1,1,2-TRICHLOROETHANE	ND	50.
71-43-2	BENZENE	110.	50.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	50.
110-75-8	2-CHLOROETHYL VINYLETHER	ND	500.
75-25-2	BROMOFORM	ND	50.
119-78-6	2-HEXANONE	ND	300.
108-10-1	4-METHYL-2-PENTANONE	ND	300.
127-18-4	TETRACHLOROETHENE	ND	50.
108-88-3	TOLUENE	ND	50.

WEST COAST ANALYTICAL SERVICE, INC.

CLIENT: WOODWARD CLYDE
SAMPLE: MW-1, A
ANALYSIS TYPE: EPA METHOD 8240 (624)

ORGANICS ANALYSIS DATA RESULTS

DATE RECEIVED: 04/13/87 GCMS FILENAME: 5677V2
LEVEL: LOW MATRIX: WATER
DATE PREPARED: 04/15/87 DATE ANALYZED: 04/15/87
STANDARD ID: VDA457 INSTRUMENT ID: 5100
SAMPLE AMOUNT: 100UL

CAS #	COMPOUND	CONC: UG/L (PPB)	DETECTION LIMIT
108-90-7	CHLOROBENZENE	ND	50.
100-41-4	ETHYLBENZENE	ND	50.
100-42-5	STYRENE	ND	50.
95-47-6	TOTAL XYLENES	ND	50.
108-41-8	M-CHLOROTOLUENE	ND	50.
541-73-1	1,3-DICHLOROBENZENE	ND	50.
106-46-7	1,4-DICHLOROBENZENE	ND	50.
95-50-1	1,2-DICHLOROBENZENE	ND	50.
120-82-1	1,2,4-TRICHLOROBENZENE	ND	50.

WEST COAST ANALYTICAL SERVICE, INC.

CLIENT: WOODWARD CLYDE
SAMPLE: MW-1, A

TENTATIVELY IDENTIFIED COMPOUNDS

COMPOUND NAME	FRACTION	CONCENTRATION UG/L (PPB)
=====		
1 NONE FOUND	VOA	

WEST COAST ANALYTICAL SERVICE, INC.

CLIENT: WOODWARD CLYDE
 SAMPLE: MW-1, B
 ANALYSIS TYPE: EPA METHOD 8240 (624)

ORGANICS ANALYSIS DATA RESULTS

DATE RECEIVED: 04/13/87 GCMS FILENAME: 5677V3
 LEVEL: LOW MATRIX: WATER
 DATE PREPARED: 04/15/87 DATE ANALYZED: 04/15/87
 STANDARD ID: VOA457 INSTRUMENT ID: 5100
 SAMPLE AMOUNT: 100UL

CAS #	COMPOUND	CONC: UG/L (PPB)	DETECTION LIMIT
74-87-3	CHLOROMETHANE	ND	300.
74-83-9	BROMOMETHANE	ND	300.
75-01-4	VINYL CHLORIDE	ND	300.
75-00-3	CHLOROETHANE	ND	300.
75-09-2	METHYLENE CHLORIDE	ND	500.
67-64-1	ACETONE	ND	500.
107-02-8	ACROLEIN	ND	500.
107-13-1	ACRYLONITRILE	ND	500.
75-15-0	CARBON DISULFIDE	ND	50.
75-35-4	1,1-DICHLOROETHENE	2500.	50.
75-34-3	1,1-DICHLOROETHANE	ND	50.
156-60-5	TRANS-1,2-DICHLOROETHENE	ND	50.
109-99-9	TETRAHYDROFURAN	ND	50.
75-69-4	TRICHLOROFLUOROMETHANE	ND	50.
76-13-1	FREON-TF	ND	50.
106-93-4	ETHYLENE DIBROMIDE	ND	50.
123-91-1	1,4-DIOXANE	ND	50.
96-12-8	1,2-DIBROMO-3-CHLOROPROPANE	ND	50.
67-66-3	CHLOROFORM	ND	50.
107-06-2	1,2-DICHLOROETHANE	ND	50.
78-93-3	2-BUTANONE	ND	500.
71-55-6	1,1,1-TRICHLOROETHANE	120.	50.
16-23-5	CARBON TETRACHLORIDE	ND	50.
108-05-4	VINYL ACETATE	ND	300.
75-27-4	BROMODICHLOROMETHANE	ND	50.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	50.
78-87-5	1,2-DICHLOROPROPANE	ND	50.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	50.
79-01-6	TRICHLOROETHENE	3600.	50.
124-48-1	CHLORODIBROMOMETHANE	ND	50.
79-00-5	1,1,2-TRICHLOROETHANE	ND	50.
71-43-2	BENZENE	ND	50.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	50.
110-75-8	2-CHLOROETHYL VINYLETHER	ND	500.
75-25-2	BROMOFORM	ND	50.
119-78-6	2-HEXANONE	ND	300.
108-10-1	4-METHYL-2-PENTANONE	ND	300.
127-18-4	TETRACHLOROETHENE	ND	50.
108-88-3	TOLUENE	ND	50.

WEST COAST ANALYTICAL SERVICE, INC.

CLIENT: WOODWARD CLYDE
SAMPLE: MW-1, B
ANALYSIS TYPE: EPA METHOD 8240 (624)

ORGANICS ANALYSIS DATA RESULTS

DATE RECEIVED: 04/13/87 GCMS FILENAME: 5677V3
LEVEL: LOW MATRIX: WATER
DATE PREPARED: 04/15/87 DATE ANALYZED: 04/15/87
STANDARD ID: VOA457 INSTRUMENT ID: 5100
SAMPLE AMOUNT: 100UL

CAS #	COMPOUND	CONC: UG/L (PPB)	DETECTION LIMIT
108-90-7	CHLOROBENZENE	ND	50.
100-41-4	ETHYLBENZENE	ND	50.
100-42-5	STYRENE	ND	50.
95-47-6	TOTAL XYLENES	ND	50.
108-41-8	M-CHLOROTOLUENE	ND	50.
541-73-1	1,3-DICHLOROBENZENE	ND	50.
106-46-7	1,4-DICHLOROBENZENE	ND	50.
95-50-1	1,2-DICHLOROBENZENE	ND	50.
120-82-1	1,2,4-TRICHLOROBENZENE	ND	50.

WEST COAST ANALYTICAL SERVICE, INC.

CLIENT: WOODWARD CLYDE
SAMPLE: MW-1, B

TENTATIVELY IDENTIFIED COMPOUNDS

COMPOUND NAME	FRACTION	CONCENTRATION UG/L (PPB)
=====		
1 NONE FOUND	VDA	

April 2, 1987

WOODWARD-CLYDE
203 N. Golden Circle Drive
Santa Ana, CA 92705

Attn: Allistair Callendar

JOB NO. 5557

WCAS

**WEST COAST
ANALYTICAL
SERVICE, INC.**


ANALYTICAL CHEMISTS


LABORATORY REPORT

Samples: One (1) water sample
Date Received: 3-27-87
Purchase Order No: 41863B

The sample was analyzed for volatile organic compounds by GCMS according to EPA method 624. The results are reported in the following Organics Analysis Data Results sheets.

Page 1 of 1


Michael Shelton
Senior Chemist


D.J. Northington, Ph.D.
Technical Director

WEST COAST ANALYTICAL SERVICE, INC.

CLIENT: WOODWARD CLYDE
 SAMPLE: TRIP BLANK
 ANALYSIS TYPE: EPA METHOD 8240 (624)

ORGANICS ANALYSIS DATA RESULTS

DATE RECEIVED: 04/13/87 GCMS FILENAME: 5677V4
 LEVEL: LOW MATRIX: WATER
 DATE PREPARED: 04/15/87 DATE ANALYZED: 04/15/87
 STANDARD ID: VOA457 INSTRUMENT ID: 5100
 SAMPLE AMOUNT: 5. OML

CAS #	COMPOUND	CONC: UG/L (PPB)	DETECTION LIMIT
74-87-3	CHLOROMETHANE	ND	5.
74-83-9	BROMOMETHANE	ND	5.
75-01-4	VINYL CHLORIDE	ND	5.
75-00-3	CHLOROETHANE	ND	5.
75-09-2	METHYLENE CHLORIDE	ND	10.
67-64-1	ACETONE	ND	10.
107-02-8	ACROLEIN	ND	10.
107-13-1	ACRYLONITRILE	ND	10.
75-15-0	CARBON DISULFIDE	ND	1.
75-35-4	1,1-DICHLOROETHENE	ND	1.
75-34-3	1,1-DICHLOROETHANE	ND	1.
156-60-5	TRANS-1,2-DICHLOROETHENE	ND	1.
109-99-9	TETRAHYDROFURAN	ND	1.
75-69-4	TRICHLOROFLUOROMETHANE	ND	1.
76-13-1	FREON-TF	ND	1.
106-93-4	ETHYLENE DIBROMIDE	ND	1.
123-91-1	1,4-DIOXANE	ND	1.
96-12-8	1,2-DIBROMO-3-CHLOROPROPANE	ND	1.
67-66-3	CHLOROFORM	ND	1.
107-06-2	1,2-DICHLOROETHANE	ND	1.
78-93-3	2-BUTANONE	ND	10.
71-55-6	1,1,1-TRICHLOROETHANE	ND	1.
16-23-5	CARBON TETRACHLORIDE	ND	1.
108-05-4	VINYL ACETATE	ND	5.
75-27-4	BROMODICHLOROMETHANE	ND	1.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	1.
78-87-5	1,2-DICHLOROPROPANE	ND	1.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	1.
79-01-6	TRICHLOROETHENE	ND	1.
124-48-1	CHLORODIBROMOMETHANE	ND	1.
79-00-5	1,1,2-TRICHLOROETHANE	ND	1.
71-43-2	BENZENE	ND	1.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	1.
110-75-8	2-CHLOROETHYL VINYLETHER	ND	10.
75-25-2	BROMOFORM	ND	1.
119-78-6	2-HEXANONE	ND	5.
108-10-1	4-METHYL-2-PENTANONE	ND	5.
127-18-4	TETRACHLOROETHENE	ND	1.
108-88-3	TOLUENE	ND	1.

WEST COAST ANALYTICAL SERVICE, INC.

CLIENT: WOODWARD CLYDE
SAMPLE: TRIP BLANK
ANALYSIS TYPE: EPA METHOD 8240 (624)

ORGANICS ANALYSIS DATA RESULTS

DATE RECEIVED: 04/13/87 GCMS FILENAME: 5677V4
LEVEL: LOW MATRIX: WATER
DATE PREPARED: 04/15/87 DATE ANALYZED: 04/15/87
STANDARD ID: VOA457 INSTRUMENT ID: 5100
SAMPLE AMOUNT: 5. OML

CAS #	COMPOUND	CONC: UG/L (PPB)	DETECTION LIMIT
108-90-7	CHLOROBENZENE	ND	1.
100-41-4	ETHYLBENZENE	ND	1.
100-42-5	STYRENE	ND	1.
95-47-6	TOTAL XYLENES	ND	1.
108-41-8	M-CHLOROTOLUENE	ND	1.
541-73-1	1,3-DICHLOROBENZENE	ND	1.
106-46-7	1,4-DICHLOROBENZENE	ND	1.
95-50-1	1,2-DICHLOROBENZENE	ND	1.
120-82-1	1,2,4-TRICHLOROBENZENE	ND	1.

WEST COAST ANALYTICAL SERVICE, INC.

CLIENT: WOODWARD CLYDE
SAMPLE: TRIP BLANK

TENTATIVELY IDENTIFIED COMPOUNDS

COMPOUND NAME	FRACTION	CONCENTRATION UG/L (PPB)
---------------	----------	-----------------------------

1 NONE FOUND

VOA

WCAS

WEST COAST ANALYTICAL SERVICE, INC.

CLIENT: WOODWARD-CLYDE

SAMPLE: MW-1(41)A

ANALYSIS TYPE: EPA METHOD 8240 (624)

ORGANICS ANALYSIS DATA RESULTS

DATE RECEIVED: 03/27/87

LEVEL: LOW

DATE PREPARED: 04/01/87

STANDARD ID: VOA280

SAMPLE AMOUNT: 100UL

GCMS FILENAME: 5557V3

MATRIX: WATER

DATE ANALYZED: 04/01/87

INSTRUMENT ID: 5101

CAS #	COMPOUND	CONC: UG/L (PPB)	DETECTION LIMIT
74-87-3	CHLOROMETHANE	ND	300.
74-83-9	BROMOMETHANE	ND	300.
75-01-4	VINYL CHLORIDE	ND	300.
75-00-3	CHLOROETHANE	ND	300.
75-09-2	METHYLENE CHLORIDE	ND	500.
67-64-1	ACETONE	ND	500.
107-02-8	ACROLEIN	ND	500.
107-13-1	ACRYLONITRILE	ND	500.
75-15-0	CARBON DISULFIDE	ND	50.
75-35-4	1,1-DICHLOROETHENE	2800.	50.
75-34-3	1,1-DICHLOROETHANE	ND	50.
156-60-5	TRANS-1,2-DICHLOROETHENE	ND	50.
109-99-9	TETRAHYDROFURAN	ND	50.
75-69-4	TRICHLOROFLUOROMETHANE	ND	50.
76-13-1	FREDN-TF	ND	50.
106-93-4	ETHYLENE DIBROMIDE	ND	50.
123-91-1	1,4-DIOXANE	ND	50.
96-12-8	1,2-DIBROMO-3-CHLOROPROPANE	ND	50.
67-66-3	CHLOROFORM	ND	50.
107-06-2	1,2-DICHLOROETHANE	ND	50.
78-93-3	2-BUTANONE	ND	500.
71-55-6	1,1,1-TRICHLOROETHANE	300.	50.
16-23-5	CARBON TETRACHLORIDE	ND	50.
108-05-4	VINYL ACETATE	ND	300.
75-27-4	BROMODICHLOROMETHANE	ND	50.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	50.
78-87-5	1,2-DICHLOROPROPANE	ND	50.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	50.
79-01-6	TRICHLOROETHENE	4600.	50.
124-48-1	DIBROMOCHLOROMETHANE	ND	50.
79-00-5	1,1,2-TRICHLOROETHANE	ND	50.
71-43-2	BENZENE	85.	50.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	50.
110-75-8	2-CHLOROETHYL VINYL ETHER	ND	500.
75-25-2	BROMOFORM	ND	50.
119-78-6	2-HEXANONE	ND	300.
108-10-1	4-METHYL-2-PENTANONE	ND	300.
127-18-4	TETRACHLOROETHENE	ND	50.
108-88-3	TOLUENE	ND	50.

WEST COAST ANALYTICAL SERVICE, INC.

CLIENT: WOODWARD-CLYDE
 SAMPLE: MW-1(41)A
 ANALYSIS TYPE: EPA METHOD 8240 (624)

ORGANICS ANALYSIS DATA RESULTS

DATE RECEIVED: 03/27/87 GCMS FILENAME: 5557V3
 LEVEL: LOW MATRIX: WATER
 DATE PREPARED: 04/01/87 DATE ANALYZED: 04/01/87
 STANDARD ID: VOA280 INSTRUMENT ID: 5101
 SAMPLE AMOUNT: 100UL

CAS #	COMPOUND	CONC: UG/L(PPB)	DETECTION LIMIT
108-90-7	CHLOROBENZENE	ND	50.
100-41-4	ETHYLBENZENE	ND	50.
100-42-5	STYRENE	ND	50.
95-47-6	TOTAL XYLENES	ND	50.
108-41-8	M-CHLOROTOLUENE	ND	50.
95-50-1	1,2-DICHLOROBENZENE	ND	50.
541-73-1	1,3-DICHLOROBENZENE	ND	50.
106-46-7	1,4-DICHLOROBENZENE	ND	50.
120-82-1	1,2,4-TRICHLOROBENZENE	ND	50.

WEST COAST ANALYTICAL SERVICE, INC.

CLIENT: WOODWARD-CLYDE
SAMPLE: MW-1(41)A


TENTATIVELY IDENTIFIED COMPOUNDS

COMPOUND NAME	FRACTION	CONCENTRATION UG/L (PPB)
=====		
1 NONE FOUND	VOA	

Data Reporting Qualifiers

- Value - If the result is a value greater than or equal to the Detection Limit (DL), the value is reported.
- ND - Indicates that the compound was analyzed for but not detected. The minimum DL for the sample with the ND is reported based on necessary concentration or dilution actions.
- TR - Indicates an estimated value. This flag is used when the mass spectral data indicates the presence of a compound that meets the identification criteria but the result is less than the specified DL but greater than zero.

December 31, 1986



WOODWARD-CLYDE
203 No. Golden Circle Drive
Santa Ana, CA 92705

WCAS
WEST COAST
ANALYTICAL
SERVICE, INC.
ANALYTICAL CHEMISTS

Attn: Kevin Gibson

JOB NO. 4932

LABORATORY REPORT

Samples: Two (2) soil samples
Date Received: 12-29-86
Purchase Order No: Project 41863B

The samples were analyzed for total petroleum hydrocarbon content using EPA method 418.1. The results are listed below:

Parts Per Million

<u>Sample No.</u>	<u>Total Petroleum Hydrocarbons</u>
B2-2-3 at 5'	5000
B2-7-3 at 30'	6000
Detection Limit	10


Date Analyzed: 12-30-86

Page 1 of 1

Isabella F. Gdr
Isabella Gundran
Chemist

D. J. Northington
D.J. Northington, Ph.D.
Technical Director

January 9, 1987



WOODWARD-CLYDE
203 N. Golden Circle Drive
Santa Ana, CA 92705

WCAS
WEST COAST
ANALYTICAL
SERVICE, INC.
ANALYTICAL CHEMISTS

Attn: Kevin Gibson

JOB NO. 4968

LABORATORY REPORT

Samples: Nineteen (19) soil samples
Date Received: 1-6-87
Purchase Order No: 41863B


Ten (10) samples were analyzed for total petroleum hydrocarbons by EPA method 418.1. The results are reported below:


Parts Per Million

<u>Sample.No.</u>	<u>Total Petroleum Hydrocarbons</u>
2-7-4	14000
2-8-4	2000
2-9-4	2000
2-10-4	19000
3-1-4	2900
3-2-4	27
3-3-4	1200
3-4-4	4400
3-5-3	13000
3-6-3	4100
Detection Limit	10

Date Extracted: 1-8-87
Date Analyzed: 1-8-87

Page 1 of 1


Isabelle Gundran
Chemist.


D.J. Northington, Ph.D.
Technical Director

APPENDIX C

CHAIN-OF-CUSTODY FORMS

PAGE 1 OF 1

DATE 4/13/87

PROJECT NAME: Douglas - Torrance

PROJECT NO.: 4186313

Hold
SAMPLES

Sampler's Signature:

Received By: Margaret Felt
Signature Margaret Felt
Printed Name Margaret Felt
Company WCHS

Date
4/13/87

Time
4:50

Received By: _____
Signature _____
Printed Name _____
Company _____

Date
/ /
Time

Received By:
Signature _____
Printed Name _____
Company _____

Date	/ /
Time	

Received By:
Signature _____
Printed Name _____
Company _____

Date
/ /

Time

Special Shipment / Handling / Storage Requirements:

* Note - This does not constitute authorization to proceed with analysis

LA/OR-0183-421

BOE-C6-0221727

Woodward-Clyde Consultants

SHIPMENT NO.: _____

CHAIN OF CUSTODY RECORD

PAGE 1 OF 1

PROJECT NAME: Douglas Aircraft C6

DATE 12 1291 86

PROJECT NO.: 419638

Sample Number	Location	Type of Sample		Type of Container	Type of Preservation		Analysis Required*
		Material	Method		Temp	Chemical	
B2-1-3 B2-1-4	B2 B2 1'	SOIL	CAHOD	BRASS TUBE	ICE		HOLD HOLD
B2-2-3 B2-2-4	5'						E.P.A. 418.1 HOLD
B2-3-3 B2-3-4	10'						HOLD "
B2-4-3 B2 4-4	15'						HOLD "
B2 5-3 B2 5-4	20'						HOLD "
B2 7-3 B2 6-3	30'						EPA 418.1 HOLD
B2 6-4 B2 5-4	25'						HOLD EPA 418.1
B2 7-4	30'						HOLD EPA 418.1

Total Number of Samples Shipped: 12 Sampler's Signature: Kenn R. Gibson / BEAN JACOB

Relinquished By:
Signature Kenn R. Gibson
Printed Name KENN R. GIBSON
Company WCC
Reason TESTING

Received By:
Signature Shelley Runkel
Printed Name SH. C. Runkel
Company WCAS

Date
12/29/86
Time
3:20

Relinquished By:
Signature _____
Printed Name _____
Company _____
Reason _____

Received By:
Signature _____
Printed Name _____
Company _____

Date
1/1
Time

Relinquished By:
Signature _____
Printed Name _____
Company _____
Reason _____

Received By:
Signature _____
Printed Name _____
Company _____

Date
1/1
Time

Relinquished By:
Signature _____
Printed Name _____
Company _____
Reason _____

Received By:
Signature _____
Printed Name _____
Company _____

Date
1/1
Time

Special Shipment / Handling / Storage Requirements:

Please hold samples as noted above until told to do otherwise, which will be done w/in 3 working days of receipt of results.

* Note - This does not constitute authorization to proceed with analysis

LA/OR-0183-421

BOE-C6-0221729

Woodward-Clyde Consultants



CHAIN OF CUSTODY RECORD

SHIPMENT NO.: _____

PAGE 1 OF _____

PROJECT NAME: DOUGLAS AIRCRAFT

DATE 1/16/87

PROJECT NO.: 41863D

4968

Sample Number	Location	Type of Sample		Type of Container	Type of Preservation		Analysis Required*
		Material	Method		Temp	Chemical	
2-7-3	B-2	Soil		BRASS TUBE	ICE		HOLD
2-7-4							E.P.A. 418.1, T.P.H.C.
2-8-3							HOLD
2-8-4							418.1, T.P.H.C.
2-9-3							HOLD
2-9-4							418.1, T.P.H.C.
2-10-4							418.1, T.P.H.C.
3-1-3	B-3						HOLD
3-1-4							418.1 T.P.H.C.
3-2-3							HOLD
3-2-4							418.1 T.P.H.C.
3-3-3							HOLD
3-3-4							418.1 T.P.H.C.
3-4-3							HOLD
3-4-4							418.1 T.P.H.C.
3-5-2							HOLD
3-5-3							418.1 T.P.H.C.
3-6-2							HOLD
3-6-3							418.1 T.P.H.C.

Total Number of Samples Shipped: 19 Sampler's Signature: Kenn R. Gibson / Margaret Felt

Relinquished By:
 Signature: Kenn R. Gibson
 Printed Name: KENN R. GIBSON
 Company: WCC
 Reason: TESTING

Received By:
 Signature: Margaret Felt
 Printed Name: Margaret Felt
 Company: WCASJ

Date: 1/16/87
 Time: 4:15pm

Relinquished By:
 Signature: _____
 Printed Name: _____
 Company: _____
 Reason: _____

Received By:
 Signature: _____
 Printed Name: _____
 Company: _____

Date: 1/1
 Time: _____

Relinquished By:
 Signature: _____
 Printed Name: _____
 Company: _____
 Reason: _____

Received By:
 Signature: _____
 Printed Name: _____
 Company: _____

Date: 1/1
 Time: _____

Relinquished By:
 Signature: _____
 Printed Name: _____
 Company: _____
 Reason: _____

Received By:
 Signature: _____
 Printed Name: _____
 Company: _____

Date: 1/1
 Time: _____

Special Shipment / Handling / Storage Requirements:

* Note - This does not constitute authorization to proceed with analysis

LA/OR-0183-421

BOE-C6-0221730